



FACTORY PRODUCTION CONTROL CERTIFICATE
In compliance with the requirements of BC1:2023 and the
Building and Construction Authority, Singapore.

This is to certify that the Factory Production Control System of:

YIEH PHUI ENTERPRISE CO., LTD.

In the production facility located at:

**Plant 1(HQ): No. 369, Yuliao Road, Qiaotou District, Kaohsiung City 825004,
Taiwan, R.O.C.**

Plant 2: No. 6, Gongye 6th Road, Ping Tung City 900081, Taiwan, R.O.C.

has been assessed against the Factory Production Control requirements of BC1:2023
and conforms to the requirements for the production of:


**Hot - Dip Galvanized steel sheet & coil
Hot - Dip 55% Al-Zn coated steel sheet & coil
Hot - Dip 5% Al-Zn coated steel sheet & coil**

This certificate is only valid when accompanied by a current schedule with the same
number detailing the product standards, material grades and other details
corresponding to this approval.

Approval is subject to the continued surveillance of the management system in
accordance with the requirements of BC1:2023. Unauthorised changes to the
management system will render this approval invalid.

Certificate No:	TWN00000407/A
Original Approval:	27 February 2024
Current Certificate:	27 February 2024
Certificate Expiry:	26 February 2027

Kevin Wu on behalf of LRQA Limited (Singapore Branch)



**SCHEDULE TO FACTORY PRODUCTION CONTROL CERTIFICATE
SHA/TWN00000407/A**

In compliance with the requirements of BC1:2023 and the
Building and Construction Authority, Singapore.


YIEH PHUI ENTERPRISE CO., LTD.

In the production facility located at:

Plant 1(HQ): No. 369, Yuliao Road, Qiaotou District, Kaohsiung City 825004, Taiwan,
R.O.C.


Plant 2: No. 6, Gongye 6th Road, Ping Tung City 900081, Taiwan, R.O.C.

Products	Appendix A of BC 1: 2012	Material	Standard Title/Description	Grade	Dimension (Base metal thickness; Width)
Hot-Dip Galvanized steel sheet & coil	A.3.8	JIS G3302: 2022	Hot-dip zinc coated steel sheet and ooil	SGH340 SGH400 SGH490 SGH440 SGC340 SGC400 SGH540 SGC440 SGC490	0.7 mm-4.5mm; Max. 1538mm
	A.1.8	EN 10346: 2015	Continuously hot-dip coated strip and sheet of structure steels - Technical delivery conditions	S250GD S350GD S280GD S550GD S220GD S320GD	0.7 mm-3.0mm; Max. 1538mm
	A.1.4			S220GD S250GD S280GD S320GD S350GD	0.35 mm-3.0mm; Max. 1538mm
	A.4.4	AS 1397-2021	Steel sheet and strip hot-dip zinc-coated or aluminum / zinc-coated	Grade 300 Grade450 Grade 350 Grade 250	0.19 mm-4.5mm; Max. 1538mm
	A.4.8			Grade550 Grade350 Grade450 Grade 500 Grade 250 Grade 300	0.7 mm-4.5mm; Max. 1538mm



	A.2.8	ASTM A653-2023	Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process	SS Grade255 SS Grade275 SS Grade 340 SS Grade 380 SS Grade410 SS Grade480 SS Grade 550	0.7 mm-4.5mm; Max. 1538mm
--	-------	----------------	---	--	--

Hot-Dip 55% Al-Zn coated steel sheet & coil	A.1.8	EN 10346:2015	Continuously hot-dip coated strip and sheet of structure steels - Technical delivery conditions	S250GD S280GD S320GD S550GD S220GD S350GD	0.7 mm-3.0mm; Max. 1538mm
	A.1.4			S220GD S250GD S280GD S320GD S350GD	0.35 mm-3.0mm; Max. 1538mm
	A.2.4	ASTMA792-2023	Steel Sheet, 55% Aluminum-Zinc Alloy-Coated by the Hot-Dip Process	SS Grade230 SS Grade255 SS Grade275 SS Grade 340 SS Grade 410 SS Grade480 SS Grade550	0.3 mm-4.5mm; Max. 1538mm
	A.4.4	AS 1397-2021	Steel sheet and strip hot-dip zinc-coated or aluminum /zinc-coated	Grade 250 Grade 300 Grade 350 Grade 450	0.3 mm-4.5mm; Max. 1538mm
	A.4.8			Grade550 Grade250 Grade 300 Grade 350 Grade450 Grade 500	0.7 mm-4.5mm; Max. 1538mm
	A.3.8	JIS G3321:2022	Hot-dip 55% aluminum-zinc alloy-coated steel sheet and strip	SGLC400 SGLC440 SGLC490	0.7 mm-4.5mm; Max. 1538mm



Hot-Dip 5% Al- Zn coated steel sheet & coil	A.1.8	EN 10346:2015	Continuously hot-dip coated strip and sheet of structure steels - Technical delivery conditions	S250GD S320GD S220GD S280GD S350GD S550GD	0.7 mm-3.0mm ; Max. 1280m m
	A.1.4			S220GD S250GD S280GD S320GD S350GD	0.35mm-3.0mm ; Max. 1280m m
	A2.4	ASTMA875-2023	Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process	SS Grade 230 SS Grade 255 SS Grade 340 SS Grade 550	0.20 mm-4.5m m; Max. 1280m m
	A.4.4	AS 1397-2021	Steel sheet and strip hot-dip zinc-coated or aluminum /zinc-coated	Grade 450 Grade 250 Grade 300 Grade 350	0.20 mm-4.5mm ; Max. 1280m m
	A.4.8			Grade 250 Grade 300 Grade 350 Grade450 Grade 500 Grade 550	0.7 mm-4.5mm ; Max. 1280m m
	A.3.8	JIS G3317: 2022	Hot-dip zinc-5 % aluminum alloy-coated steel sheet and strip	SZAH340 SZAH400 SZAH440 SZAH490 SZAH540 SZAC340 SZAC400 SZAC440 SZAC490	0.7 mm-4.5mm ; Max. 1280m m

Schedule Issue: 01

Date of Schedule Issue: 27 February 2024

Kevin Wu on behalf of LRQA Limited (Singapore Branch)